

Government of West Bengal  
Office of the District Magistrate, Purulia  
Planning Section

2<sup>ND</sup> Call

**Notice Inviting E-tender No. 08 / Planning Section / 2019-20 Dated: 16/08/2019**

1. District Magistrate, Purulia inviting E-Tender (Technical & Financial Bid) from eligible bonafide bidder having requisite credentials up to 12:00 Noon of 20 /08/2019 for the Supply & Installation as mentioned below.
2. The intending bidder can see the bidding documents from the internet site [www.purulia.nic.in](http://www.purulia.nic.in) & [www.Puruliazp.in](http://www.Puruliazp.in) but they have to download/ submit their documents and rate in: <http://etender.wb.nic.in>
3. Technical bid will be consisting of following document
  - (i) Earnest money to Rs.11, 000=00 in favour of District Magistrate, Purulia through NEFT.
  - (ii) GST Enrollment documents
  - (iii) Income Tax clearance certificate & PAN
  - (iv) Professional Tax clearance certificate
  - (v) Credential certificate
4. The financial bid should contain the rate offered by the agency as per schedule of Supply & Installation.
5. Technical Bids will be opened at 12.00 Noon on 22/08/2019 in the office of District Magistrate, Purulia Planning Section. If the office happens to be closed on the date of opening of the bid as specified, the bid will be opened on the next working day at the same time and venue. **Financial bid** will be opened of the technical qualified bidders will be opened just evaluation of technical bid.
6. The bidder should submit the credential certificate.
7. The bidder should quote their offer rate in the financial Bid only.
8. Other details can be seen in the bidding documents.

SI No	Name of the work	Period for downloading of bid documents	Period for submission of bid documents	Time and date of opening of Technical	Time and date of opening of Financial Bid	Class of contractor
1	<p style="text-align: center;"><b>HP Z8 Workstation (Manufacturer authorized Product) (3MJ02PA#ACJ)</b></p> <p style="text-align: center;"><b>CPU I 3106 Xeon1.7 8C DUAL CPU, RAM 32GB (4x8GB) DDR4 2666 ECC 2CPU, Z Turbo drive 256GB SSD/HDD 1TB 7200RPM ,GFX NVIDIA Quadro P1000 4GB (4)mDP, Windows 10 Pro 64bit, DVDRW, 3 Yrs Onsite</b></p>	16/08/2019 to 22/08/2019 Up to 11.00 AM	Up to 12.00 Noon of 22/08/2019	At 12.00 Noon on 26/08/2019	As per Notice	Bonafide Supplier outsiders having requisite credentials of Supplying of Similar nature of equipment.

Sl No	Name of the work	Period for downloading of bid documents	Period for submission of bid documents	Time and date of opening of Technical	Time and date of opening of Financial Bid	Class of contractor																																																																					
2	<p><b>HP DesignJet T830 (36" size) Multifunctional Printer (Print,Scan,Copy up to A0 size)(Manufacturer Authorized Product)</b></p> <table border="1"> <tr> <td><b>Print</b></td> <td>Line drawings<sup>1</sup></td> <td>23 sec/page on A1/D, 62 A1/D prints per hour</td> </tr> <tr> <td></td> <td>Print resolution</td> <td>Up to 2400 x 1200 optimized dpi</td> </tr> <tr> <td></td> <td>Margins (top x bottom x left x right)</td> <td>Roll: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in) Sheet: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in)</td> </tr> <tr> <td></td> <td>Ink types</td> <td>Dye-based (C, M, Y); pigment-based (mK)</td> </tr> <tr> <td></td> <td>Printheads</td> <td>1 (C, M, Y, mK)</td> </tr> <tr> <td></td> <td>Line accuracy</td> <td>+/- 0.1%<sup>2</sup></td> </tr> <tr> <td></td> <td>Minimum line width</td> <td>0.02 mm (0.0008 in) (HP-GL/2 addressable)</td> </tr> <tr> <td></td> <td>Guaranteed minimum line width</td> <td>0.07 mm (0.0028 in) ISO/IEC 13660:2001IEC<sup>3</sup></td> </tr> <tr> <td><b>Media</b></td> <td>Handling</td> <td>Sheet feed, roll feed, input tray, media bin, automatic cutter</td> </tr> <tr> <td></td> <td>Size</td> <td>Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1897 mm (8.3 x 11 to 36 x 74.7 in) Standard sheets: A4, A3, A2, A1, A0 (A, B, C, D, E)</td> </tr> <tr> <td></td> <td>Thickness</td> <td>Up to 0.3 mm (11.8 mil)</td> </tr> <tr> <td><b>Scan</b></td> <td>Scan speed</td> <td>Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)</td> </tr> <tr> <td></td> <td>Scan/copy resolution</td> <td>600 dpi</td> </tr> <tr> <td></td> <td>Maximum scan</td> <td>Size: 914mm x 2.77m (36x109in) Thickness: 0.8 mm (0.03 in)</td> </tr> <tr> <td><b>Applications</b></td> <td></td> <td>Line drawings, Renderings, Presentations</td> </tr> <tr> <td><b>Memory</b></td> <td></td> <td>1 GB</td> </tr> <tr> <td><b>Connectivity</b></td> <td>Interfaces (standard)</td> <td>Gigabit Ethernet (1000Base-T), Wi-Fi, Hi-Speed USB 2.0 certified connector</td> </tr> <tr> <td></td> <td>Print languages (standard)</td> <td>HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URF</td> </tr> <tr> <td></td> <td>Printing paths</td> <td>Windows and Mac printer drivers, Apple AirPrint driver, print from USB pen drive</td> </tr> <tr> <td></td> <td>Mobile printing capability features</td> <td>Wi-Fi Direct and local Wi-Fi connectivity to enable mobile printing and scanning via HP ePrint, Apple AirPrint™ and HP All-in-One printer remote App. Supports printing from most smartphones and tablets using these operating systems: Android, iOS</td> </tr> <tr> <td></td> <td>Drivers (included)</td> <td>HP-GL/2, HP-RTL drivers for Windows; HP PCL 3 GUI driver for Mac OS X and Windows</td> </tr> <tr> <td><b>Dimensions (w x d x h)</b></td> <td>Printer</td> <td>1403 x 629 x 1155 mm (55.2 x 24.8 x 45.5 in)</td> </tr> <tr> <td></td> <td>Shipping</td> <td>1578 x 575 x 646 mm (62.5 x 22.6 x 25.4 in)</td> </tr> </table>	<b>Print</b>	Line drawings <sup>1</sup>	23 sec/page on A1/D, 62 A1/D prints per hour		Print resolution	Up to 2400 x 1200 optimized dpi		Margins (top x bottom x left x right)	Roll: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in) Sheet: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in)		Ink types	Dye-based (C, M, Y); pigment-based (mK)		Printheads	1 (C, M, Y, mK)		Line accuracy	+/- 0.1% <sup>2</sup>		Minimum line width	0.02 mm (0.0008 in) (HP-GL/2 addressable)		Guaranteed minimum line width	0.07 mm (0.0028 in) ISO/IEC 13660:2001IEC <sup>3</sup>	<b>Media</b>	Handling	Sheet feed, roll feed, input tray, media bin, automatic cutter		Size	Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1897 mm (8.3 x 11 to 36 x 74.7 in) Standard sheets: A4, A3, A2, A1, A0 (A, B, C, D, E)		Thickness	Up to 0.3 mm (11.8 mil)	<b>Scan</b>	Scan speed	Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)		Scan/copy resolution	600 dpi		Maximum scan	Size: 914mm x 2.77m (36x109in) Thickness: 0.8 mm (0.03 in)	<b>Applications</b>		Line drawings, Renderings, Presentations	<b>Memory</b>		1 GB	<b>Connectivity</b>	Interfaces (standard)	Gigabit Ethernet (1000Base-T), Wi-Fi, Hi-Speed USB 2.0 certified connector		Print languages (standard)	HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URF		Printing paths	Windows and Mac printer drivers, Apple AirPrint driver, print from USB pen drive		Mobile printing capability features	Wi-Fi Direct and local Wi-Fi connectivity to enable mobile printing and scanning via HP ePrint, Apple AirPrint™ and HP All-in-One printer remote App. Supports printing from most smartphones and tablets using these operating systems: Android, iOS		Drivers (included)	HP-GL/2, HP-RTL drivers for Windows; HP PCL 3 GUI driver for Mac OS X and Windows	<b>Dimensions (w x d x h)</b>	Printer	1403 x 629 x 1155 mm (55.2 x 24.8 x 45.5 in)		Shipping	1578 x 575 x 646 mm (62.5 x 22.6 x 25.4 in)	16/08/2019 to 22/08/2019 Up to 11.00 AM	Up to 12.00 Noon of 22/08/2019	At 12.00 Noon on 26/08/2019	As per Notice	Bonafide Supplier outsiders having requisite credentials of Supplying of Similar nature of equipment.
<b>Print</b>	Line drawings <sup>1</sup>	23 sec/page on A1/D, 62 A1/D prints per hour																																																																									
	Print resolution	Up to 2400 x 1200 optimized dpi																																																																									
	Margins (top x bottom x left x right)	Roll: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in) Sheet: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in)																																																																									
	Ink types	Dye-based (C, M, Y); pigment-based (mK)																																																																									
	Printheads	1 (C, M, Y, mK)																																																																									
	Line accuracy	+/- 0.1% <sup>2</sup>																																																																									
	Minimum line width	0.02 mm (0.0008 in) (HP-GL/2 addressable)																																																																									
	Guaranteed minimum line width	0.07 mm (0.0028 in) ISO/IEC 13660:2001IEC <sup>3</sup>																																																																									
<b>Media</b>	Handling	Sheet feed, roll feed, input tray, media bin, automatic cutter																																																																									
	Size	Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1897 mm (8.3 x 11 to 36 x 74.7 in) Standard sheets: A4, A3, A2, A1, A0 (A, B, C, D, E)																																																																									
	Thickness	Up to 0.3 mm (11.8 mil)																																																																									
<b>Scan</b>	Scan speed	Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)																																																																									
	Scan/copy resolution	600 dpi																																																																									
	Maximum scan	Size: 914mm x 2.77m (36x109in) Thickness: 0.8 mm (0.03 in)																																																																									
<b>Applications</b>		Line drawings, Renderings, Presentations																																																																									
<b>Memory</b>		1 GB																																																																									
<b>Connectivity</b>	Interfaces (standard)	Gigabit Ethernet (1000Base-T), Wi-Fi, Hi-Speed USB 2.0 certified connector																																																																									
	Print languages (standard)	HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URF																																																																									
	Printing paths	Windows and Mac printer drivers, Apple AirPrint driver, print from USB pen drive																																																																									
	Mobile printing capability features	Wi-Fi Direct and local Wi-Fi connectivity to enable mobile printing and scanning via HP ePrint, Apple AirPrint™ and HP All-in-One printer remote App. Supports printing from most smartphones and tablets using these operating systems: Android, iOS																																																																									
	Drivers (included)	HP-GL/2, HP-RTL drivers for Windows; HP PCL 3 GUI driver for Mac OS X and Windows																																																																									
<b>Dimensions (w x d x h)</b>	Printer	1403 x 629 x 1155 mm (55.2 x 24.8 x 45.5 in)																																																																									
	Shipping	1578 x 575 x 646 mm (62.5 x 22.6 x 25.4 in)																																																																									

SI No	Name of the work	Period for downloading of bid documents	Period for submission of bid documents	Time and date of opening of Technical	Time and date of opening of Financial Bid	Class of contractor																																																																																																																																																												
3	<p><b>HP LaserJet M436dn A3 Copier with Network port &amp; Duplex without ADF Multifunctional Printer (Manufacturer authorized Product)</b></p> <table border="1"> <tr> <td><b>Model</b></td> <td>HP LaserJet MFP M436dn Printer</td> <td>HP LaserJet MFP M436n Printer</td> <td>HP LaserJet MFP M436nda Printer</td> </tr> <tr> <td><b>Product number</b></td> <td>ZK138A</td> <td>W7J01A</td> <td>W7U02A</td> </tr> <tr> <td><b>Functions</b></td> <td>Print, Copy, Scan</td> <td></td> <td></td> </tr> <tr> <td><b>Control panel</b></td> <td>4-Line LCD, 4 Quick-launch buttons</td> <td></td> <td></td> </tr> <tr> <td><b>Print</b></td> <td colspan="3"></td> </tr> <tr> <td><b>Print technology</b></td> <td colspan="3">Laser</td> </tr> <tr> <td><b>Print speed</b></td> <td><b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A4, duplex)</b> Up to 12 ppm; <b>Black (A3, normal)</b> Up to 12 ppm</td> <td><b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A3, normal)</b> Up to 12 ppm</td> <td><b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A4, duplex)</b> Up to 12 ppm; <b>Black (A3, normal)</b> Up to 12 ppm</td> </tr> <tr> <td><b>First page out</b></td> <td colspan="2"><b>Black (A4, ready)</b> As fast as 8.8 sec</td> <td><b>Black (A4, ready)</b> As fast as 8.6 sec</td> </tr> <tr> <td><b>Print resolution</b></td> <td colspan="3"><b>Black (best Technology)</b> Optical: 600 x 600 dpi; Optical: 1,200 x 1,200 dpi; Laser</td> </tr> <tr> <td><b>Monthly duty cycle</b></td> <td colspan="3">Up to 50,000 pages per month A4, <b>Recommended monthly page volume</b> 2,000 to 5,000</td> </tr> <tr> <td><b>Printer smart software features</b></td> <td colspan="3">4-line LCD, 4 Quick-launch button Copy</td> </tr> <tr> <td><b>Standard print languages</b></td> <td colspan="3">PCL6</td> </tr> <tr> <td><b>Fonts and typefaces</b></td> <td colspan="3">89 Scalable Fonts (Include OCR-A / OCR-B) / 1 Bitmap</td> </tr> <tr> <td><b>Print area</b></td> <td colspan="3"><b>Print margins:</b> Top: 6 mm, Bottom: 6 mm, Left: 7 mm, Right: 7 mm, Maximum print area: 297 x 914 mm</td> </tr> <tr> <td><b>Duplex printing</b></td> <td>Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Inter-mediate, Letterhead, Pre-punched, A4, A5, B5 (JIS), Executive, Statement, A4, B4 (JIS), B5 (JIS), BK, 16K, Office 216 x 340 mm, Office 50 x 110 g</td> <td></td> <td>Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Inter-mediate, Letterhead, Pre-punched, A4, A5, B5 (JIS), Executive, Statement, A3, B4 (JIS), B5 (JIS), BK, 16K, Office 216 x 340, Office 60 x 110 mm</td> </tr> <tr> <td><b>Copy</b></td> <td colspan="3"></td> </tr> <tr> <td><b>Copy speed</b></td> <td colspan="3"><b>Black (A4)</b> Up to 23 ppm</td> </tr> <tr> <td><b>Copier specifications</b></td> <td colspan="3">600 x 600 dpi x 2 bit, Original content settings: Text, Text/Photo, Photo, Mac, Reduce/Enlarge scaling: 25% to 400%, Copy quantity settings: 1 to 999, Darkness controls: 11 levels (Light, Normal, Dark), Collation: Yes (limited), N-up: A3: 2/4/8/16-up, A4: 2/4/8-up, <b>Maximum number of copies:</b> Up to 999 copies, <b>Copy resolution:</b> Plates: Scan 600 x 600, Printing 600 x 600, Document feeder: Scan 600 x 600, Printing 600 x 600, <b>Reduce/Enlarge:</b> 25 to 400%</td> </tr> <tr> <td><b>Scan</b></td> <td colspan="3"></td> </tr> <tr> <td><b>Scan speed</b></td> <td><b>Normal (A4)</b> Up to 30 ppm (With ADF Accessory); <b>Duplex (A4)</b> Up to 12 ppm (With ADF Accessory)</td> <td><b>Normal (A4)</b> Up to 30 ppm (With ADF Accessory); <b>Duplex (A4)</b> Up to 12 ppm (With ADF Accessory)</td> <td><b>Normal (A4)</b> Up to 30 ppm; <b>Duplex (A4)</b> Up to 12 ppm</td> </tr> <tr> <td><b>Scan file format</b></td> <td colspan="3">PDF, Single-Page-TIFF, JPEG, Multi-Page-TIFF, Single-Page-PDF, TIFF</td> </tr> <tr> <td><b>Scanner specifications</b></td> <td colspan="3">Scanner type: D-CIS, Scan technology: D-CIS, Scan input modes: TWAIN, WIA, Scan to PC (local, Network), from ADF or Plates, Twain version: 2.1, Duplex ADF scanning, Yes, Scan size maximum (flatbed, ADF): 297 x 432 mm; Optical scan resolution: Up to 600 x 600 dpi</td> </tr> <tr> <td><b>Product number</b></td> <td>ZK138A</td> <td>W7U01A</td> <td>W7U02A</td> </tr> <tr> <td><b>Scanner advanced features</b></td> <td colspan="3">Scan to PC</td> </tr> <tr> <td><b>Printable area</b></td> <td><b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> Optional, 140 x 130 mm <b>Maximum media size (ADF):</b> Optional ADF: 297 x 432 mm</td> <td><b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> Optional, 140 x 130 mm <b>Maximum media size (ADF):</b> Optional ADF: 297 x 432 mm</td> <td><b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> 140 x 130 mm <b>Maximum media size (ADF):</b> 297 x 432 mm</td> </tr> <tr> <td><b>Bit depth/ Grey scale levels</b></td> <td colspan="3">2 / 256 Levels</td> </tr> <tr> <td><b>Processor speed</b></td> <td colspan="3">600 MHz</td> </tr> <tr> <td><b>Connectivity</b></td> <td colspan="3"></td> </tr> <tr> <td><b>Standard</b></td> <td colspan="3">1 High-speed USB 2.0 Device Port</td> </tr> <tr> <td><b>Wireless</b></td> <td colspan="3">No</td> </tr> <tr> <td><b>Supported network protocols</b></td> <td colspan="3">IP Management: DHCP, DHCPv6, BOOTP, AutoIP, Static, Discovery Protocol, SLIP, L2TP, mDNS, DNS, WINS, Printing Protocol, TELNET (9100), TELNET (5100), LPR, IPP, WSD, Management Protocol: SNMPv1, 2, SNMPv3 (IPv6), SNMP3, SMBv3 (IPv6, HTTP), Scan Protocol: Twain for Network, Security Protocol</td> </tr> <tr> <td><b>Hard disk</b></td> <td colspan="3">None</td> </tr> <tr> <td><b>Memory</b></td> <td colspan="3">Standard: 128 MB, Maximum: 128 MB</td> </tr> <tr> <td><b>Media handling</b></td> <td colspan="3"></td> </tr> <tr> <td><b>Number of paper trays</b></td> <td colspan="3">Standard: 2; Maximum: 3</td> </tr> <tr> <td><b>Media types</b></td> <td colspan="3">Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Intermediate, Letterhead, Pre-punched</td> </tr> <tr> <td><b>Media size</b></td> <td><b>Custom (metric):</b> Tray 1: Minimum: 125 x 102 mm; Maximum: 297 x 914 mm; Tray 2: Minimum: 148 x 182 mm; Maximum: 297 x 432 mm; Optional Tray 3: Minimum: 148 x 172 mm; Maximum: 297 x 432 mm; <b>Supported (metric):</b> A3, A4, A5, B4, B5, Office 216 x 340, BK, 16K; <b>ADF:</b> Optional ADF: A3, A4, A5, B4, Statement</td> <td></td> <td><b>Custom (metric):</b> Tray 1: Minimum: 125 x 102 mm; Maximum: 297 x 914 mm; Tray 2: Minimum: 148 x 182 mm; Maximum: 297 x 432 mm; Tray 3: Minimum: 148 x 172 mm; Maximum: 297 x 432 mm; <b>Supported (metric):</b> A3, A4, A5, B4, B5, Statement, BK, 16K; <b>ADF:</b> A3, A4, A5, B4, Statement</td> </tr> <tr> <td><b>Media handling</b></td> <td><b>Standard input:</b> 100-sheet multi-purpose tray 1, 250-sheet input tray 2, automatic two-sided printing <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Optional, 100 sheets</td> <td><b>Standard input:</b> Tray 1: 100-sheet; Tray 2: 250-sheet <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Optional, 100 sheets</td> <td><b>Standard input:</b> Input tray: 250-sheet; Tray 1 <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Standard, 100 sheets</td> </tr> <tr> <td><b>Media weight</b></td> <td>Tray 1: 50 to 163 g/m<sup>2</sup>; Tray 2: 60 to 110 g/m<sup>2</sup>; Optional Tray 3: 60 to 110 g/m<sup>2</sup>; Optional ADF: 60 to 195 g/m<sup>2</sup>; <b>ADF:</b> Optional ADF: 60 to 128 g/m<sup>2</sup></td> <td></td> <td>Tray 1: 60 to 163 g/m<sup>2</sup>; Tray 2: 60 to 110 g/m<sup>2</sup>; Optional Tray 3: 60 to 110 g/m<sup>2</sup>; Optional ADF: 60 to 128 g/m<sup>2</sup>; <b>ADF:</b> 60 to 128 g/m<sup>2</sup></td> </tr> </table>	<b>Model</b>	HP LaserJet MFP M436dn Printer	HP LaserJet MFP M436n Printer	HP LaserJet MFP M436nda Printer	<b>Product number</b>	ZK138A	W7J01A	W7U02A	<b>Functions</b>	Print, Copy, Scan			<b>Control panel</b>	4-Line LCD, 4 Quick-launch buttons			<b>Print</b>				<b>Print technology</b>	Laser			<b>Print speed</b>	<b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A4, duplex)</b> Up to 12 ppm; <b>Black (A3, normal)</b> Up to 12 ppm	<b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A3, normal)</b> Up to 12 ppm	<b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A4, duplex)</b> Up to 12 ppm; <b>Black (A3, normal)</b> Up to 12 ppm	<b>First page out</b>	<b>Black (A4, ready)</b> As fast as 8.8 sec		<b>Black (A4, ready)</b> As fast as 8.6 sec	<b>Print resolution</b>	<b>Black (best Technology)</b> Optical: 600 x 600 dpi; Optical: 1,200 x 1,200 dpi; Laser			<b>Monthly duty cycle</b>	Up to 50,000 pages per month A4, <b>Recommended monthly page volume</b> 2,000 to 5,000			<b>Printer smart software features</b>	4-line LCD, 4 Quick-launch button Copy			<b>Standard print languages</b>	PCL6			<b>Fonts and typefaces</b>	89 Scalable Fonts (Include OCR-A / OCR-B) / 1 Bitmap			<b>Print area</b>	<b>Print margins:</b> Top: 6 mm, Bottom: 6 mm, Left: 7 mm, Right: 7 mm, Maximum print area: 297 x 914 mm			<b>Duplex printing</b>	Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Inter-mediate, Letterhead, Pre-punched, A4, A5, B5 (JIS), Executive, Statement, A4, B4 (JIS), B5 (JIS), BK, 16K, Office 216 x 340 mm, Office 50 x 110 g		Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Inter-mediate, Letterhead, Pre-punched, A4, A5, B5 (JIS), Executive, Statement, A3, B4 (JIS), B5 (JIS), BK, 16K, Office 216 x 340, Office 60 x 110 mm	<b>Copy</b>				<b>Copy speed</b>	<b>Black (A4)</b> Up to 23 ppm			<b>Copier specifications</b>	600 x 600 dpi x 2 bit, Original content settings: Text, Text/Photo, Photo, Mac, Reduce/Enlarge scaling: 25% to 400%, Copy quantity settings: 1 to 999, Darkness controls: 11 levels (Light, Normal, Dark), Collation: Yes (limited), N-up: A3: 2/4/8/16-up, A4: 2/4/8-up, <b>Maximum number of copies:</b> Up to 999 copies, <b>Copy resolution:</b> Plates: Scan 600 x 600, Printing 600 x 600, Document feeder: Scan 600 x 600, Printing 600 x 600, <b>Reduce/Enlarge:</b> 25 to 400%			<b>Scan</b>				<b>Scan speed</b>	<b>Normal (A4)</b> Up to 30 ppm (With ADF Accessory); <b>Duplex (A4)</b> Up to 12 ppm (With ADF Accessory)	<b>Normal (A4)</b> Up to 30 ppm (With ADF Accessory); <b>Duplex (A4)</b> Up to 12 ppm (With ADF Accessory)	<b>Normal (A4)</b> Up to 30 ppm; <b>Duplex (A4)</b> Up to 12 ppm	<b>Scan file format</b>	PDF, Single-Page-TIFF, JPEG, Multi-Page-TIFF, Single-Page-PDF, TIFF			<b>Scanner specifications</b>	Scanner type: D-CIS, Scan technology: D-CIS, Scan input modes: TWAIN, WIA, Scan to PC (local, Network), from ADF or Plates, Twain version: 2.1, Duplex ADF scanning, Yes, Scan size maximum (flatbed, ADF): 297 x 432 mm; Optical scan resolution: Up to 600 x 600 dpi			<b>Product number</b>	ZK138A	W7U01A	W7U02A	<b>Scanner advanced features</b>	Scan to PC			<b>Printable area</b>	<b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> Optional, 140 x 130 mm <b>Maximum media size (ADF):</b> Optional ADF: 297 x 432 mm	<b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> Optional, 140 x 130 mm <b>Maximum media size (ADF):</b> Optional ADF: 297 x 432 mm	<b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> 140 x 130 mm <b>Maximum media size (ADF):</b> 297 x 432 mm	<b>Bit depth/ Grey scale levels</b>	2 / 256 Levels			<b>Processor speed</b>	600 MHz			<b>Connectivity</b>				<b>Standard</b>	1 High-speed USB 2.0 Device Port			<b>Wireless</b>	No			<b>Supported network protocols</b>	IP Management: DHCP, DHCPv6, BOOTP, AutoIP, Static, Discovery Protocol, SLIP, L2TP, mDNS, DNS, WINS, Printing Protocol, TELNET (9100), TELNET (5100), LPR, IPP, WSD, Management Protocol: SNMPv1, 2, SNMPv3 (IPv6), SNMP3, SMBv3 (IPv6, HTTP), Scan Protocol: Twain for Network, Security Protocol			<b>Hard disk</b>	None			<b>Memory</b>	Standard: 128 MB, Maximum: 128 MB			<b>Media handling</b>				<b>Number of paper trays</b>	Standard: 2; Maximum: 3			<b>Media types</b>	Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Intermediate, Letterhead, Pre-punched			<b>Media size</b>	<b>Custom (metric):</b> Tray 1: Minimum: 125 x 102 mm; Maximum: 297 x 914 mm; Tray 2: Minimum: 148 x 182 mm; Maximum: 297 x 432 mm; Optional Tray 3: Minimum: 148 x 172 mm; Maximum: 297 x 432 mm; <b>Supported (metric):</b> A3, A4, A5, B4, B5, Office 216 x 340, BK, 16K; <b>ADF:</b> Optional ADF: A3, A4, A5, B4, Statement		<b>Custom (metric):</b> Tray 1: Minimum: 125 x 102 mm; Maximum: 297 x 914 mm; Tray 2: Minimum: 148 x 182 mm; Maximum: 297 x 432 mm; Tray 3: Minimum: 148 x 172 mm; Maximum: 297 x 432 mm; <b>Supported (metric):</b> A3, A4, A5, B4, B5, Statement, BK, 16K; <b>ADF:</b> A3, A4, A5, B4, Statement	<b>Media handling</b>	<b>Standard input:</b> 100-sheet multi-purpose tray 1, 250-sheet input tray 2, automatic two-sided printing <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Optional, 100 sheets	<b>Standard input:</b> Tray 1: 100-sheet; Tray 2: 250-sheet <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Optional, 100 sheets	<b>Standard input:</b> Input tray: 250-sheet; Tray 1 <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Standard, 100 sheets	<b>Media weight</b>	Tray 1: 50 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 110 g/m <sup>2</sup> ; Optional Tray 3: 60 to 110 g/m <sup>2</sup> ; Optional ADF: 60 to 195 g/m <sup>2</sup> ; <b>ADF:</b> Optional ADF: 60 to 128 g/m <sup>2</sup>		Tray 1: 60 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 110 g/m <sup>2</sup> ; Optional Tray 3: 60 to 110 g/m <sup>2</sup> ; Optional ADF: 60 to 128 g/m <sup>2</sup> ; <b>ADF:</b> 60 to 128 g/m <sup>2</sup>	16/08/2019 to 22/08/2019 Up to 11.00 AM	Up to 12.00 Noon of 22/08/2019	At 12.00 Noon on 26/08/2019	As per Notice	Bonafide Supplier outsiders having requisite credentials of Supplying of Similar nature of equipment.
<b>Model</b>	HP LaserJet MFP M436dn Printer	HP LaserJet MFP M436n Printer	HP LaserJet MFP M436nda Printer																																																																																																																																																															
<b>Product number</b>	ZK138A	W7J01A	W7U02A																																																																																																																																																															
<b>Functions</b>	Print, Copy, Scan																																																																																																																																																																	
<b>Control panel</b>	4-Line LCD, 4 Quick-launch buttons																																																																																																																																																																	
<b>Print</b>																																																																																																																																																																		
<b>Print technology</b>	Laser																																																																																																																																																																	
<b>Print speed</b>	<b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A4, duplex)</b> Up to 12 ppm; <b>Black (A3, normal)</b> Up to 12 ppm	<b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A3, normal)</b> Up to 12 ppm	<b>Black (A4, normal)</b> Up to 23 ppm; <b>Black (A4, duplex)</b> Up to 12 ppm; <b>Black (A3, normal)</b> Up to 12 ppm																																																																																																																																																															
<b>First page out</b>	<b>Black (A4, ready)</b> As fast as 8.8 sec		<b>Black (A4, ready)</b> As fast as 8.6 sec																																																																																																																																																															
<b>Print resolution</b>	<b>Black (best Technology)</b> Optical: 600 x 600 dpi; Optical: 1,200 x 1,200 dpi; Laser																																																																																																																																																																	
<b>Monthly duty cycle</b>	Up to 50,000 pages per month A4, <b>Recommended monthly page volume</b> 2,000 to 5,000																																																																																																																																																																	
<b>Printer smart software features</b>	4-line LCD, 4 Quick-launch button Copy																																																																																																																																																																	
<b>Standard print languages</b>	PCL6																																																																																																																																																																	
<b>Fonts and typefaces</b>	89 Scalable Fonts (Include OCR-A / OCR-B) / 1 Bitmap																																																																																																																																																																	
<b>Print area</b>	<b>Print margins:</b> Top: 6 mm, Bottom: 6 mm, Left: 7 mm, Right: 7 mm, Maximum print area: 297 x 914 mm																																																																																																																																																																	
<b>Duplex printing</b>	Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Inter-mediate, Letterhead, Pre-punched, A4, A5, B5 (JIS), Executive, Statement, A4, B4 (JIS), B5 (JIS), BK, 16K, Office 216 x 340 mm, Office 50 x 110 g		Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Inter-mediate, Letterhead, Pre-punched, A4, A5, B5 (JIS), Executive, Statement, A3, B4 (JIS), B5 (JIS), BK, 16K, Office 216 x 340, Office 60 x 110 mm																																																																																																																																																															
<b>Copy</b>																																																																																																																																																																		
<b>Copy speed</b>	<b>Black (A4)</b> Up to 23 ppm																																																																																																																																																																	
<b>Copier specifications</b>	600 x 600 dpi x 2 bit, Original content settings: Text, Text/Photo, Photo, Mac, Reduce/Enlarge scaling: 25% to 400%, Copy quantity settings: 1 to 999, Darkness controls: 11 levels (Light, Normal, Dark), Collation: Yes (limited), N-up: A3: 2/4/8/16-up, A4: 2/4/8-up, <b>Maximum number of copies:</b> Up to 999 copies, <b>Copy resolution:</b> Plates: Scan 600 x 600, Printing 600 x 600, Document feeder: Scan 600 x 600, Printing 600 x 600, <b>Reduce/Enlarge:</b> 25 to 400%																																																																																																																																																																	
<b>Scan</b>																																																																																																																																																																		
<b>Scan speed</b>	<b>Normal (A4)</b> Up to 30 ppm (With ADF Accessory); <b>Duplex (A4)</b> Up to 12 ppm (With ADF Accessory)	<b>Normal (A4)</b> Up to 30 ppm (With ADF Accessory); <b>Duplex (A4)</b> Up to 12 ppm (With ADF Accessory)	<b>Normal (A4)</b> Up to 30 ppm; <b>Duplex (A4)</b> Up to 12 ppm																																																																																																																																																															
<b>Scan file format</b>	PDF, Single-Page-TIFF, JPEG, Multi-Page-TIFF, Single-Page-PDF, TIFF																																																																																																																																																																	
<b>Scanner specifications</b>	Scanner type: D-CIS, Scan technology: D-CIS, Scan input modes: TWAIN, WIA, Scan to PC (local, Network), from ADF or Plates, Twain version: 2.1, Duplex ADF scanning, Yes, Scan size maximum (flatbed, ADF): 297 x 432 mm; Optical scan resolution: Up to 600 x 600 dpi																																																																																																																																																																	
<b>Product number</b>	ZK138A	W7U01A	W7U02A																																																																																																																																																															
<b>Scanner advanced features</b>	Scan to PC																																																																																																																																																																	
<b>Printable area</b>	<b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> Optional, 140 x 130 mm <b>Maximum media size (ADF):</b> Optional ADF: 297 x 432 mm	<b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> Optional, 140 x 130 mm <b>Maximum media size (ADF):</b> Optional ADF: 297 x 432 mm	<b>Minimum media size (flatbed):</b> 140 x 130 mm <b>Maximum media size (flatbed):</b> 297 x 432 mm <b>Minimum media size (ADF):</b> 140 x 130 mm <b>Maximum media size (ADF):</b> 297 x 432 mm																																																																																																																																																															
<b>Bit depth/ Grey scale levels</b>	2 / 256 Levels																																																																																																																																																																	
<b>Processor speed</b>	600 MHz																																																																																																																																																																	
<b>Connectivity</b>																																																																																																																																																																		
<b>Standard</b>	1 High-speed USB 2.0 Device Port																																																																																																																																																																	
<b>Wireless</b>	No																																																																																																																																																																	
<b>Supported network protocols</b>	IP Management: DHCP, DHCPv6, BOOTP, AutoIP, Static, Discovery Protocol, SLIP, L2TP, mDNS, DNS, WINS, Printing Protocol, TELNET (9100), TELNET (5100), LPR, IPP, WSD, Management Protocol: SNMPv1, 2, SNMPv3 (IPv6), SNMP3, SMBv3 (IPv6, HTTP), Scan Protocol: Twain for Network, Security Protocol																																																																																																																																																																	
<b>Hard disk</b>	None																																																																																																																																																																	
<b>Memory</b>	Standard: 128 MB, Maximum: 128 MB																																																																																																																																																																	
<b>Media handling</b>																																																																																																																																																																		
<b>Number of paper trays</b>	Standard: 2; Maximum: 3																																																																																																																																																																	
<b>Media types</b>	Plain, Mid-weight, Light, HP LaserJet, Coloured, Preprinted, Recycled, Intermediate, Letterhead, Pre-punched																																																																																																																																																																	
<b>Media size</b>	<b>Custom (metric):</b> Tray 1: Minimum: 125 x 102 mm; Maximum: 297 x 914 mm; Tray 2: Minimum: 148 x 182 mm; Maximum: 297 x 432 mm; Optional Tray 3: Minimum: 148 x 172 mm; Maximum: 297 x 432 mm; <b>Supported (metric):</b> A3, A4, A5, B4, B5, Office 216 x 340, BK, 16K; <b>ADF:</b> Optional ADF: A3, A4, A5, B4, Statement		<b>Custom (metric):</b> Tray 1: Minimum: 125 x 102 mm; Maximum: 297 x 914 mm; Tray 2: Minimum: 148 x 182 mm; Maximum: 297 x 432 mm; Tray 3: Minimum: 148 x 172 mm; Maximum: 297 x 432 mm; <b>Supported (metric):</b> A3, A4, A5, B4, B5, Statement, BK, 16K; <b>ADF:</b> A3, A4, A5, B4, Statement																																																																																																																																																															
<b>Media handling</b>	<b>Standard input:</b> 100-sheet multi-purpose tray 1, 250-sheet input tray 2, automatic two-sided printing <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Optional, 100 sheets	<b>Standard input:</b> Tray 1: 100-sheet; Tray 2: 250-sheet <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Optional, 100 sheets	<b>Standard input:</b> Input tray: 250-sheet; Tray 1 <b>Standard output:</b> Up to 250 sheets <b>Optional input:</b> Optional 250 sheets <b>ADF:</b> Standard, 100 sheets																																																																																																																																																															
<b>Media weight</b>	Tray 1: 50 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 110 g/m <sup>2</sup> ; Optional Tray 3: 60 to 110 g/m <sup>2</sup> ; Optional ADF: 60 to 195 g/m <sup>2</sup> ; <b>ADF:</b> Optional ADF: 60 to 128 g/m <sup>2</sup>		Tray 1: 60 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 110 g/m <sup>2</sup> ; Optional Tray 3: 60 to 110 g/m <sup>2</sup> ; Optional ADF: 60 to 128 g/m <sup>2</sup> ; <b>ADF:</b> 60 to 128 g/m <sup>2</sup>																																																																																																																																																															

SI No	Name of the work	Period for downloading of bid documents	Period for submission of bid documents	Time and date of opening of Technical	Time and date of opening of Financial Bid	Class of contractor
4	<b>SYSKA Powerbank 20000 MAH</b> (Manufacturer Authorized Product)	16/08/2019 to 22/08/2019 Up to 11.00 AM	Up to 12.00 Noon of 22/08/2019	At 12.00 Noon on 26/08/2019	As per Notice	Bonafide Supplier outsiders having requisite credentials of Supplying of Similar nature of equipment.

\*The authority reserves the right to accept or reject any or all tender without assigning any reason

Memo No 893 (11) /D

Copy forwarded for information to the:-

- 1) Sub-Divisional Officer, Purulia Sadar
- 2) DIO, NIC, Purulia / DIA, PZP for publication / upload the tender notice in <http://etender.wb.nic.in> & District website.
- 3) DICO, Purulia with the request to publish in two leading ( one Bengali , one English) newspapers.
- 4) H. C. Planning Section / Dealing Assistant, Planning Section, Purulia Collectorate
- 5) C.A. to the District Magistrate, Purulia
- 6) P.A. / C.A. to the Additional District Magistrate (Gen.) / (Dev) / (LR), Purulia
- 7) Office Notice Board.

  
District Magistrate  
Purulia  
Dated 16/08 /2019

  
District Magistrate  
Purulia